	Application No.	Applicant(s)
Notice of Allowability	09/302,859	ADAMS ET AL.
	Examiner	Art Unit
	Kevin Y Kim	2634
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED i or other appropriate comm GHTS. This application is:	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <u>06-29-2004</u> .		
2. X The allowed claim(s) is/are 4-6,9,10 renumbered as 1-5.		
3. The drawings filed on are accepted by the Examiner	·	
 4. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have Certified copies of the priority documents have * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM 	been received. been received in Application cuments have been receive of this communication to file	on No d in this national stage application from the
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EX	AMINER'S AMENDMENT or NOTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date 12. (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the stack of the sheet and such in the stack of the same properties. The properties of the same propert	t be submitted. on's Patent Drawing Revie s Amendment / Comment of .84(c)) should be written on the header according to 37 C sit of BIOLOGICAL MAT	w (PTO-948) attached or in the Office action of the drawings in the front (not the back) of FR 1.121(d). ERIAL must be submitted. Note the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview S Paper No 98), 7. ⊠ Examiner's	Informal Patent Application (PTO-152) Summary (PTO-413), I/Mail Date S Amendment/Comment S Statement of Reasons for Allowance —

Application/Control Number: 09/302,859

Art Unit: 2634

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. David W. Poirier on August 19, 2004.

The application has been amended as follows:

In the claims:

In claim 6;

on line 2, change "an" after "receiving" to -the—
on line 3, change "a" after "input signal and" to -the—
on line 3, change "a" after "providing" to -the-On line 5, change "a" after "noise by" to -the--

Allowable Subject Matter

- 1. Claims 4-6, 9 and 10 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: The arguments for the after-final amendment are persuasive. No prior art has been found to disclose a sigma-delta modulator including an amplifying means, placed before a filter comprised of an input sampling and switch (as opposed to part of a filter), that amplifies the difference between an input signal and a quantized feedback signal and provides the amplified difference to the filter such that the amplification reduces input-referred thermal noise introduced by the filter circuit.

Rest Available Copy

Page 3

Application/Control Number: 09/302,859

Art Unit: 2634

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Y Kim whose telephone number is 703-305-4082. The examiner can normally be reached on 8AM --5PM M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on 703-305-4714. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

kvk

CHIEH M. FAN
PRIMARY EXAMINER